

according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 1 of 15

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

#### Further trade names

This MSDS covers the following products:

OT2 SN62 T3 OT2 SN63 T3

OT2 SN62 T4

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Solder paste

#### Uses advised against

any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Cobar Europe BV Street: Aluminiumstraat 2 Place: NL-4823 AL Breda

Telephone: +31 76 5445566 Telefax: +31 76 5445577

e-mail: info@Cobar.com

**Supplier** 

Company name: Balver Zinn Josef Jost GmbH & Co. KG

Street: Blintroper Weg 11
Place: D-58802 Balve
Telephone: +49 2375 915-0

Telephone: +49 2375 915-0 Telefax: +49 2375 915-1700

Responsible Department: sds@balverzinn.com

**1.4. Emergency telephone** Chemtrec: +44(0) 870-8200418

<u>number:</u>

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4 Reproductive toxicity: Repr. 1A

Specific target organ toxicity - repeated exposure: STOT RE 2 Hazardous to the aquatic environment: Aquatic Acute 1 Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

Harmful if swallowed or if inhaled.

May damage the unborn child. Suspected of damaging fertility.

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

#### **Regulation (EC) No. 1272/2008**

#### Hazard components for labelling

lead

bis(2-(2-methoxyethoxy)ethyl) ether

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 2 of 15

Signal word: Danger

Pictograms:







#### **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P312 Call a POISON CENTER/doctor if you feel unwell.

## Special labelling of certain mixtures

EUH208 Contains maleic acid. May produce an allergic reaction.

Restricted to professional users.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 3 of 15

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulat				
7440-31-5	tin			55 - < 60 %	
	231-141-8				
7439-92-1	lead			30 - < 35 %	
	231-100-4	082-001-00-6			
	Repr. 1A, Acute Tox. 4, Acute Tox. H302 H332 H373 H400 H410	4, STOT RE 2, Aquatic Ac	eute 1, Aquatic Chronic 1; H360Df		
65997-06-0	Rosin, hydrogenated			1 - < 5 %	
	266-041-3				
			•		
7440-22-4	silver	< 2 %			
	231-131-3		01-2119555669-21		
144413-22-9	complex reaction mass of Chinese	1 - < 5 %			
	434-230-1	607-682-00-4			
	Aquatic Chronic 4; H413				
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ethe	< 1 %			
	205-594-7		01-2119958965-16		
	Repr. 1B; H360Df				
110-16-7	maleic acid	< 0.1 %			
	203-742-5	607-095-00-3			
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H302 H315 H319 H317 H335				

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Change contaminated clothing.

First aider: Pay attention to self-protection!

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Get medical advice/attention.

#### After contact with skin

Remove contaminated, saturated clothing immediately. Wash immediately with: Water and soap. Get medical advice/attention.

#### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.



according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 4 of 15

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

Never give anything by mouth to an unconscious person or a person with cramps. Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

refer to chapter 2 and 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Sand

Extinguishing powder

D -powder

#### Unsuitable extinguishing media

Extinguishing media which must not be used for safety reasons:

Water

High power water jet

Water spray jet

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Metal oxide smoke, toxic.

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Remove persons to safety.

Avoid exposure. Do not breathe smoke. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Wear personal protection equipment. (See section 8.)

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8



according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 5 of 15

Disposal: see section 13

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations.

Avoid exposure - obtain special instructions before use.

Do not breathe smoke. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Wear suitable protective clothing. (See section 8.)

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Further information on handling

General protection and hygiene measures: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Keep/Store only in original container.

#### Advice on storage compatibility

Do not store together with: Explosives. Gas. Oxidizing liquids. Oxidizing solids. Self-reactive substances and mixtures. Organic peroxides. Ammonium nitrate and preparations containing ammonium nitrate. Combustible toxic substances. Non-combustible toxic substances. Radioactive substances. Infectious substances.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: UV-radiation/sunlight. heat. moisture. frost.

storage temperature: refer to specifications.

## 7.3. Specific end use(s)

refer to chapter 1.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Lead other than lead alkyls	-	0.15		TWA (8 h)	CLAW
		-	-		STEL (15 min)	CLAW
7440-22-4	Silver, metallic	-	0.1	Î	TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL



according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 6 of 15

## **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7440-31-5	tin	<u> </u>	·			
Consumer DN	NEL, long-term	inhalation	systemic	3,476 mg/m³		
Consumer DN	NEL, acute	inhalation	systemic	3,476 mg/m³		
Worker DNEL	., long-term	inhalation	systemic	11,75 mg/m³		
Worker DNEL	., acute	inhalation	systemic	11,75 mg/m³		
Consumer DN	NEL, long-term	dermal	systemic	80 mg/kg bw/day		
Worker DNEL	., acute	dermal	systemic	133,3 mg/kg bw/day		
Consumer DN	NEL, acute	dermal	systemic	80 mg/kg bw/day		
Worker DNEL	., long-term	dermal	systemic	133,3 mg/kg bw/day		
Consumer DN	NEL, acute	oral	systemic	80 mg/kg bw/day		
Consumer DN	NEL, long-term	oral	systemic	80 mg/kg bw/day		
7440-22-4	silver					
Consumer DN	NEL, long-term	oral	systemic	1,2 mg/kg bw/day		
Worker DNEL	., long-term	inhalation	systemic	0,1 mg/m³		
Consumer DN	NEL, long-term	inhalation	systemic	0,04 mg/m³		
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ether					
Worker DNEL	., long-term	dermal	systemic	3 mg/kg bw/day		
Worker DNEL	., long-term	inhalation	systemic	22 mg/m³		
Consumer DN	NEL, long-term	inhalation	systemic	0,0005 mg/m³		
Consumer DN	NEL, long-term	dermal	systemic	0,001 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,001 mg/kg bw/day		
110-16-7	maleic acid					
Worker DNEL	., long-term	dermal	local	0,04 mg/cm <sup>2</sup>		
Worker DNEL	., acute	dermal	local	0,55 mg/cm <sup>2</sup>		
Worker DNEL	., long-term	dermal	systemic	3,3 mg/kg bw/day		
Worker DNEL	., acute	dermal	systemic	58 mg/kg bw/day		



according to Regulation (EC) No 1907/2006

#### OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 7 of 15

#### **PNEC values**

CAS No	Substance		
Environmenta	al compartment	Value	
7440-22-4	silver		
Soil		1,41 mg/kg	
Freshwater		0,00004 mg/l	
Marine sedim	nent	438,13 mg/kg	
Freshwater s	ediment	438,13 mg/kg	
Marine water		0,00086 mg/l	
Micro-organis	sms in sewage treatment plants (STP)	0,025 mg/l	
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ether		
Freshwater		32 mg/l	
Marine water		3,2 mg/l	
Micro-organis	sms in sewage treatment plants (STP)	500 mg/l	
Freshwater sediment		127 mg/kg	
Marine sedim	nent	12,7 mg/kg	
Secondary po	pisoning	8,32 mg/kg	
Soil		6,7 mg/kg	
110-16-7	maleic acid		
Freshwater		0,074 mg/l	
Freshwater sediment 0,0624 m			
Micro-organisms in sewage treatment plants (STP)			

## 8.2. Exposure controls











#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Process within closed systems.

#### Protective and hygiene measures

The usual precautions for handling chemicals should be considered.

Keep away from food, drink and animal feedingstuffs.

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Protect skin by using skin protective cream. Take off contaminated clothing and wash it before reuse. Street clothing should be stored separately from work clothing.

Contaminated work clothing should not be allowed out of the workplace.

#### Eye/face protection

Recommended eye protection brand: Tightly sealed safety glasses. (DIN EN 166)

#### Hand protection

Wear suitable gloves.

for coarse soldering works: heat insulating.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In the case of wanting to use the gloves again, clean them before taking off and air them well. Before using check leak tightness / impermeability.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 8 of 15

mentioned above together with the supplier of these gloves.

#### Skin protection

Protective clothing (heat-resistant)

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

insufficient ventilation.

exceeding exposure limit values

Release of: product.

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type: AP3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

#### **Environmental exposure controls**

This material and its container must be disposed of in a safe way.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour: metallic, grey
Odour: characteristic.

Test method

pH-Value: not determined

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Initial bo

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

Decomposition temperature:

not determined

not determined

**Oxidizing properties** 

none.

Vapour pressure: not determined

(at 20 °C)

Density: not determined Water solubility: not miscible

Solubility in other solvents

not determined

Viscosity / dynamic: not determined

(at 20 °C)

Viscosity / kinematic: not determined

(at 20 °C)

## BALVER ZINN® COBAR®

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 9 of 15

Flow time: not determined Vapour density: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable under normal storage and handling conditions.

#### 10.3. Possibility of hazardous reactions

Reacts with: Strong acid, Oxidising agent

## 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

#### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. Strong acid. strong alkalis.

#### 10.6. Hazardous decomposition products

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Metal oxide smoke, toxic.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No data available.

## **Acute toxicity**

Harmful if swallowed or if inhaled.

## **ATEmix** calculated

ATE (oral) 1558,6 mg/kg; ATE (inhalative aerosol) 4,676 mg/l



according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 10 of 15

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
7440-31-5	tin					
	oral	LD50	>2000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rat	ECHA Dossier	
	inhalative (4 h) aerosol	LC50	(>4,75) mg/l	Rat	ECHA Dossier	
7439-92-1	lead					
	oral	ATE	500 mg/kg			
	inhalative vapour	ATE	11 mg/l			
	inhalative aerosol	ATE	1,5 mg/l			
7440-22-4	silver					
	oral	LD50	>2000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rat	ECHA Dossier	
	inhalative (4 h) aerosol	LC50	>5,16 mg/l	Rat	ECHA Dossier	
144413-22-9	complex reaction mass of Chinese gum rosin post reacted with acrylic acid					
	oral	LD50	>2000 mg/kg	Rat	ECHA Dossier	
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ether					
	oral	LD50	3850 mg/kg	Rat. (OECD 401)	ECHA Dossier	
110-16-7	maleic acid					
	oral	LD50	(2870) mg/kg	Rat	ECHA Dossier	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

May cause sensitisation especially in sensitive humans.

### Carcinogenic/mutagenic/toxic effects for reproduction

May damage the unborn child. Suspected of damaging fertility. (lead; bis(2-(2-methoxyethoxy)ethyl) ether)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

lead (CAS No. 7439-92-1):

In vivo mutagenicity/genotoxicity Evidence exists for in-vivo mutagenicity. Carcinogenicity: LOAEL = >250 ppm (Rat; EPA OTS 798.332; 104 weeks)

Reproductive toxicity: NOAEL = 250 mg/L (Rat; 60d)

literature infomation: ECHA Dossier

bis(2-(2-methoxyethoxy)ethyl) ether (CAS-No.: 143-24-8):

In-vitro mutagenicity: No experimental indications of mutagenicity in-vitro exist.

literature infomation: ECHA Dossier

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure



according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 11 of 15

May cause damage to organs through prolonged or repeated exposure. ( (lead))

bis(2-(2-methoxyethoxy)ethyl) ether (CAS-No.: 143-24-8):

Subacute oral toxicity Exposure time: 28d Species: Wistar Rat.

Method: OECD Guideline 407 Result: NOEL = 250 mg/kg(bw)/day literature infomation: ECHA Dossier

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source		
144413-22-9	complex reaction mass of Chinese gum rosin post reacted with acrylic acid							
	Acute algae toxicity	ErC50	(>0,49) mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier		
	Acute crustacea toxicity	EC50	(>1) mg/l	48 h	Daphnia magna	ECHA Dossier		
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ether							
	Acute fish toxicity	LC50	>500 mg/l	96 h	Danio rerio (OECD 203)	MSDS extern		
	Acute algae toxicity	ErC50	8996 mg/l	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier		
	Acute crustacea toxicity	EC50	7467 mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier		
110-16-7	maleic acid							
	Acute algae toxicity	ErC50	(74,35) mg/l	96 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier		
	Acute crustacea toxicity	EC50	(42,81) mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier		

#### 12.2. Persistence and degradability

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
144413-22-9	complex reaction mass of Chinese gum rosin post reacted with acrylic acid							
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	25%	28	ECHA Dossier				
	Not readily biodegradable (according to OECD criteria)							
110-16-7	maleic acid							
	OECD Guideline 301 OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	97,08%	28	ECHA Dossier				
	Readily biodegradable (according to OECD criteria).							

#### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ether	-0,84
110-16-7	maleic acid	-0,79

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 12 of 15

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to EAKV:

#### Waste disposal number of waste from residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; inorganic wastes containing hazardous substances

Classified as hazardous waste.

#### Waste disposal number of used product

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; inorganic wastes containing hazardous substances

Classified as hazardous waste.

### Waste disposal number of contaminated packaging

150202 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances

Classified as hazardous waste.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

**14.1. UN number:** UN 3077

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Lead)

14.3. Transport hazard class(es):914.4. Packing group:III

Hazard label:



Classification code: M7

Special Provisions: 274 335 601
Limited quantity: 5 kg
Excepted quantity: E1
Transport category: 3
Hazard No: 90

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 13 of 15

Tunnel restriction code:

Inland waterways transport (ADN)

**14.1. UN number:** UN 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Lead)

9

Ε

14.3. Transport hazard class(es):

14.4. Packing group:IIIHazard label:9



Classification code: M7

Special Provisions: 274 335 601
Limited quantity: 5 kg
Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(lead)

9

14.3. Transport hazard class(es):

14.4. Packing group:IIIHazard label:9



Marine pollutant: YES

Special Provisions: 274, 335, 966, 967

Limited quantity: 5 kg
Excepted quantity: E1
EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3077

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(lead)

14.3. Transport hazard class(es): 9
14.4. Packing group: III

Hazard label: 9



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A97 A158 A179

30 kg G

Y956

Excepted quantity:

E1

IATA-packing instructions - Passenger: 956
IATA-max. quantity - Passenger: 400 kg
IATA-packing instructions - Cargo: 956
IATA-max. quantity - Cargo: 400 kg



according to Regulation (EC) No 1907/2006

OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 14 of 15

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: Lead

14.6. Special precautions for user

See section 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 63: lead

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU

(SEVESO III):

E1 Hazardous to the Aquatic Environment

#### **Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 28/29/30, 63

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water contaminating class (D):

2 - water contaminating

**Additional information** 

Observe technical data sheet.

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

Rev. 1.00; 12.05.2015, Initial release

Rev. 1.1; 10.06.2016, Documentation of changes: chapter: 15, 16. Rev. 1.2; 08.11.2016, Documentation of changes: chapter: 1, 8, 16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)



according to Regulation (EC) No 1907/2006

#### OT2 SN62 T3; OT2 SN63 T3; OT2 SN62 T4

Revision date: 08.11.2016 Product code: 950707 Page 15 of 15

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail)

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

#### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.
 EUH208 Contains maleic acid. May produce an allergic reaction.

## **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)